

## Jackson, Suzanne

---

**From:** Kosson, David S [David.Kosson@Vanderbilt.Edu]  
**Sent:** Monday, March 11, 2013 12:28 PM  
**To:** Helms, Greg; Thorneloe, Susan; Garrabrants, Andrew Charles  
**Subject:** RE: Summary of Agremax EPA report and AES comments for OSWER Mgt  
**Attachments:** Summary Leaching of AGREMAX-dsk.docx

Folks,

Attached are my comments in Track Changes/Comments in the Word document.

David

---

**From:** Helms, Greg [<mailto:Helms.Greg@epa.gov>]  
**Sent:** Monday, March 11, 2013 8:26 AM  
**To:** Thorneloe, Susan; Kosson, David S; Garrabrants, Andrew Charles  
**Subject:** Summary of Agremax EPA report and AES comments for OSWER Mgt

Susan/David/Andy-

Any comments?

I tried to boil this down as much as I could for our managers. Did I miss or mischaracterize anything?

U.S. FOIA Exempt (b) (5)

---

Gregory Helms  
U.S. EPA  
Waste Characterization Branch  
Office of Solid Waste and Emergency Response  
phone: 703-308-8845  
fax: 703-308-0514  
[helms.greg@epa.gov](mailto:helms.greg@epa.gov)

Address for regular/USPS mail:  
1200 Pennsylvania Ave. NW  
Mail Code 5304P  
Washington, DC 20460

Address for overnight/hand delivery mail:  
Two Potomac Yard  
2733 S. Crystal Dr.  
5th Floor; N-5611  
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

[http://epa.gov/wastes/hazard/testmethods/sw846/new\\_meth.htm](http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm)

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:  
[www.epa.gov/epawaste/inforesources/pubs/orientat/](http://www.epa.gov/epawaste/inforesources/pubs/orientat/)

